

PunctureSafe Canada

Seal Those Wheels



Pages 2 - 19	Agricultural, Construction, Industrial, Mining
Pages 20 - 22	All Terrain Vehicles, Quads etc
Pages 23 - 26	HGVs
Pages 27 - 36	Passenger Cars & Light Commercial Vehicles
Pages 37 - 42	Motorcycles, Scooters
Pages 43 - 44	Bicycles

Four grades of puncture prevention

High Performance High Speed Grade - Passenger cars, light commercial vehicles, Motorcycles and scooters

Heavy Duty Medium Speed Grade - HGVs

Extra Heavy Duty Low Speed Grade - Agricultural, Construction, Industrial, Mining, All Terrain Vehicles, Quads, Trailers

Cycle Grade - Bicycles

Agricultural, Construction, Industrial, Mining, All Terrain, Quads:- Extra Heavy Duty Grade all round.

HGVs:- High Speed Grade in steering wheels and Heavy Duty Grade in drive and trailer wheels. HGVs that do not reach high speeds and are used in on/off road conditions such as skip hire, waste management, mining, quarrying etc it is advisable to have Heavy Duty Grade all round. On/Off road HGVs In circumstances where punctures are very frequent and speeds are low then Extra Heavy Duty Grade can be installed all round.

Passenger cars, light commercial vehicles, Motorcycles, Scooters:- High speed grade all round. Light commercial vehicles such as buiders pick-up trucks can have Heavy Duty Grade in the rear tires.

PunctureSafe Canada

Seal Those Wheels



How to Install

Before using the pump it is important that the shut off valve is opened and the dispensing end is placed on the return outlet on the collar of the pump, and the handle is depressed fully 3 or 4 times which fills the flexible pipe with sealant. Close the shut off valve and fully lift the handle ready for your application (this is important as a little product may squirt out of the return valve on the pump collar the first time you lift the handle with this opening exposed).

Position the wheel so as the valve is not at 6 or 12 o' clock. Not that important, but preferable on very small wheels. Remove the valve core from the valve with the tool provided and quickly place your finger over the open end to stop air loss then fit the dispensing end onto the valve. Open the shut off valve and a slight downward pressure on the handle will stop any air leakage from the connection. Pump the handle until the correct amount of product has been injected into the tire (9 units per stroke for the **T** handled pump and 4 units per stroke for the smaller triangle handle pump) then close the shut off valve. Have your valve core ready to go back, and remove the application pump. At this stage it is always best to allow a little air to escape (very important), which will remove any excess PunctureSafe from the valve body. Re-inflate the tire to the correct pressure. A small tire will lose approximately 15% tire pressure whereas a large tractor tire will lose none due to the sheer volume of air.

It is not important at this stage to immediately drive the vehicle. This can be done any time at a later date (months or even years if required). For the first 2 to 3 miles with high speed vehicles a small imbalance may be experienced for about 5 seconds while PunctureSafe distributes. After this, PunctureSafe will remain evenly coated on the inner surface.

An inexpensive flexible connector is available for motorcycles if you find it fiddly to get on some scooters or motorcycle valves due to badly placed mechanical parts.

Pump Maintenance

When the drum is empty and prior to transferring the pump to a new drum, we recommend that the pump be flushed with water. Fibres can collect at the bottom of the pump and create a blockage, which will eventually prevent the pump from operating. This blockage will sometimes pass through the pump and jam the valve stem. Flushing the pump will prevent the majority of clogging problems. The procedure is simple; remove the pump from the drum and place it in a bucket of water. Pump the handle up and down several times until the water runs clear and easy. Then remove the pump from the water and continue to pump until the pump is completely drained of water. If you experience a stiff pump operation during use, then the above procedure will rectify it. Regularly lubricate the shaft with a little oil or liquid soap to keep a smooth and easy action. A stiff pump is also caused by the o-ring inside the shaft drying out, simply turn the pump upside down and squirt a little 3 IN 1 oil past the ball bearing so as it reaches the inner pump body and activate the pump a couple of times until free

PunctureSafe Canada

Seal Those Wheels



Installing as a repair

PunctureSafe was developed as a puncture prevention treatment to apply before the puncture occurs, but we have thousands of users using it to repair punctures "after" it has occurred. Simply install the correct amount of gel into the flat tire and re-air. Whilst you are re-airing if you discover where the puncture is due to the escaping air rotate the tire until the puncture is at 6 o'clock which should seal the puncture with the volume of gel which will be at the bottom of the tire. Continue re-airing until the correct pressure is reached and drive the vehicle a couple of hundred yards to distribute the sealant over the inner tire and to permanently seal the puncture due to the flexing of the tire.

PunctureSafe Canada

Seal Those Wheels



	Agricultural – Construction – Industrial – Mining	35 units = 1 Litre
Rim Size	Tire Size	Units
4" Rims		
	2.80/2.50-4	5
	9/3.50-4	5
	410/3.50-4	9
	2.80-4 NHS	5
	4.10-4 NHS	9
	11x4.00-4NHS	9
5" Rims		
	3.40/3.00-5	9
	4.10/3.50-5	10
	3.40-5 NHS	7
	3.50-5	9
	4.10-5 NHS	9
	11x4.00-5NHS	9
	11x6-5	13
	13x5-5	13
6" Rims		
	3.50-6	11
	4.10/3.50-6	12
	5.30/4.50-6	16
	145/70-6	16
	4.00-6	13
	4.10-6 NHS	10
	5.30-6 NHS	16
	8.00-6	28
	12x11-6	28
	13x5.00-6NHS	12
	13x6.00-6NHS	16
	13x6.50-6NHS	17
	14x4.50-6NHS	13
	14x8-6 NHS	22
	15x6.00-6NHS	18
	15x6.5-6	19
	16x4.5-6	14
7" Rims		
	450-7	15
	480-7	12

PunctureSafe Canada

Seal Those Wheels



	4.80/4.00-7	14
	4.00-7	14
	16x6.5-7	22
8" Rims		

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
8" Rims	4.80/4.00-8	15
	5.70/5.00-8	22
	4.00-8	14
	4.30-8	13
	4.80-8, 4.80-8 NHS	16
	5.00 R 8	19
	5.00-8 NHS	19
	5.70-8, 5.70-8 NHS	22
	6.00-8	23
	16.50-8	54
	18.50-8	68
	15x 4 1/2 R 8	15
	16x5.50-8NHS	19
	16x 6 R 8	20
	16x6.5-8, 16x6.50-8NHS	21
	16x7.50-8NHS	24
	16.5x6.5-8	21
	17x8-8	28
	18x6.50-8NHS	23
	18x 7 R 8	25
	18X7-8 NHS	25
	18x7.50-8NHS	27
	18x8.5-8, 18x8.50-8NHS	30
	18x9-8 NHS	34
	18x9.5-8, 18x9.50-8NHS	34
	18.5x8.5-8	31
	18.5x9.5-8	34
	19x9.50-8NHS	36
	19x10-8	39
	20x7-8	28
	20x8.00-8NHS	33
	20x9.00-8NHS	36
	20x10.00-8NHS	41
	20.5x7-8	29
	20.5x10-8	42
	21x11.00-8NHS	46
	21x12-8	51
	22x9-8	40
	22x11.00-8NHS	49
	22.5x10-8	42
9" Rims		

PunctureSafe Canada

Seal Those Wheels



	4.80/4.00-9	17
	4.00-9SL	16
	5.00-9	21
	6.00 R 9	27

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	6.00-9 NHS	27
	6.90-9, 6.90-9 NHS	30
	6.00/6.90-9	29
	6.90/6.00-9NHS	30
	21x8-9 NHS	34
	21x9-9 NHS	39
	22x12-9	54
	25x11-9	56
	25x12-9	61
	25x13-9	66
10" Rims		
	205/50-10, 205/50R10	30
	3.00-10	14
	3.50-10	17
	4.00-10	17
	4.50-10	21
	5.00-10	23
	6.00-10	27
	6.50 R 10	33
	6.50-10, 6.50-10 NHS	33
	7.50L-10SL	40
	7.50 R 10	42
	7.50-10, 7.50-10 NHS	41
	9.00-10SL	51
	9.00L-10 NHS	51
	9.00-10 NHS	52
	15L-10 NHS	82
	15.00-10	81
	16x8.5-10	28
	18x8.5-10	31
	18x10.5-10	37
	19x8-10	31
	20x7.5-10	30
	20x8.00-10NHS	30
	20x10.00-10NHS	41
	20.50-10	85
	20.5x8.0-10	33
	21x7.00-10NHS	30
	21x8-10 NHS	34
	22x10-10	45
	23x8-10 NHS	37

PunctureSafe Canada

Seal Those Wheels



	23x9-10 NHS	42
	23x10-10	47
	27x9-10 NHS	51
	27x15-10 NHS	82

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
11" Rims		
	23x8-11	37
	24x9-11	43
	24x10-11	49
12" Rims		
	10.00/70-12	53
	4.80/4.00-12	20
	3.00-12	13
	4.00-12SL	19
	4.50-12	21
	4.80-12, 4.80-12 NHS	20
	5-12	21
	5.30-12, 5.30-12 NHS	23
	5.70-12 NHS	26
	6-12	28
	7-12	37
	7.00 R 12	41
	7.00-12 NHS	41
	8.25-12	51
	22x7.5-12	33
	23x8.50-12NHS, 23x8.50-12 SS	39
	23x9-12	42
	23x9.50-12NHS	43
	23x10-12 NHS	48
	23x10.50-12NHS, 23x10.50-12 SS	48
	23.5x8.5-12	40
	23.5x11-12 NHS	52
	24x12-12 NHS, 24x12.00-12 NHS	58
	24x13-12	61
	26x9-12	47
	26x10-12	53
	26x11-12	58
	26x12.00-12NHS, 26x12.00-12 SS	63
	27x10-12 NHS	55
	26x14-12	74
	26.5x14-12	76
13" Rims		
	ST155/80(R, D)13	29
	ST165/80(R, D)13	31
	ST175/80(R, D)13	34
	ST185/80(R, D)13	36

PunctureSafe Canada

Seal Those Wheels



	6.00-13 NHS	32
	6.50-13 ST	33
	A78-13 ST	31
	B78-13 ST	34

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	C78-13 ST	36
	Y78-13	30
14" Rims		
	ST195/75(R, D)14	40
	ST205/75(R, D)14	42
	ST215/75(R, D)14	46
	4.50-14	25
	5.00-14	24
	6-14	31
	6.00-14SL	37
	7-14	40
	7.50-14SL	42
	8.5L-14SL	49
	9.5L-14SL	56
	11L-14SL	66
	E78-14 ST	41
	F78-14 ST	42
	G78-14 ST	46
	H78-14 ST	49
	F70-14 ST	44
	H70-14 ST	51
	23x8.50-14 SS	40
	25x8.50-14NHS, 25x8.50-14 SS	44
14.5" Rims		
	7.00-14.5MH	39
	8.00-14.5MH	45
	9.00-14.5MH	54
15" Rims		
	8.5/90-15 K	54
	212/80-15	49
	ST205/75(R, D)15	44
	225/75-15	48
	235/75-15	54
	355/65-15	95
	9.50/65-15	50
	12.00/65-15	76
	14.00/65-15	94
	250-15 NHS	58
	300-15 NHS	79
	4.00-15SL	22

PunctureSafe Canada

Seal Those Wheels



	5.00-15SL	27
	5.50-15	33
	5.70-15 NHS	30
	5.90-15SL	32

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	6.00-15	36
	6.40-15SL	35
	6.70-15SL	38
	7.00 R 15	46
	7.00-15 NHS, 7.00-15 SS	49
	7.00L-15 NHS	46
	7.5L-15SL	49
	7.50 R 15	52
	7.50-15 TR, 7.50-15 NHS	55
	7.60-15SL	45
	7.75-15 ST	39
	8.25 R 15	62
	8.25-15 SS	62
	8.25-15 TR, 8.25-15 NHS	63
	8.55-15 ST	49
	9.00-15	62
	9.00-15 NHS	74
	9.50-15FI	49
	9.5L-15SL, 9.5L-15FI	59
	10.00-15SL	74
	10.00 R 15	79
	10.00L-15 NHS	80
	10.00-15 NHS	83
	11L-15SL, 11L-15FI	71
	11.00-15 NHS	90
	12.5-15SL, 12.5-15FI	82
	13.50-15FI	86
	14.50L-15 NHS	104
	E78-15 ST	40
	F78-15 ST	43
	G78-15 ST	45
	H78-15 ST	49
	25x7.50-15NHS	38
	25x12.50-15NHS	62
	27x8.50-15NHS	46
	27x9.50-15NHS	49
	27x10.50-15NHS	56
	28x8-15	45
	28x9-15 NHS	49
	28x12-15 NHS	68
	28x13-15 NHS	74

PunctureSafe Canada

Seal Those Wheels



	29x8-15 NHS	46
	29x10-15	60
	29x12.50-15NHS	72
	29x14-15	82

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	30x8-15 NHS	49
	31x10.5-15	65
	31x12.50-15NHS	77
	31x13.50-15NHS	86
	31x15.50-15NHS	98
	32x12-15 NHS	79
	32x14.5-15	90
	32x15-15 NHS	94
	33x12.50-15NHS	82
	35x15-15 NHS	104
	36x11-15 NHS	80
	36x13.50-15NHS	100
	38x16-15	123
	57x8.5-15	98
15.3" Rims		
	12.5/80-15.3	90
15.5" Rims		
	400/40-15.5	90
16" Rims		
	ST215/80(R, D)16	51
	ST235/80(R, D)16	58
	10.5/80-16	67
	12.50/70-16	84
	4.00-16	22
	4.5-16	37
	5.50-16SL	34
	6-16	33
	6.00-16SL	37
	6.50-16SL	41
	6.50-16 NHS	42
	7-16	43
	7.20-16	44
	7.50-16SL	52
	7.50-16 NHS	56
	8-16	52
	8.00-16SL	54
	8.3-16	52
	9.00-16SL	62
	9.5-16	64
	10.00-16SL	77

PunctureSafe Canada

Seal Those Wheels



	11L-16SL	74
	11.0-16	90
	11.00-16SL	96

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	11.20-16	99
	12.00-16	101
	12.4-16	95
	12.5L-16SL	85
	13.6-16	109
16.1" Rims		
	14.5/75-16.1SL	110
	13.50-16.1SL	113
	13.60-16.1	112
	14L-16.1SL	110
	16.5L-16.1SL	141
	18.4-16.1	167
	19L-16.1SL	165
	21.5-16.1	194
	35x19-16.1	126
	38x19-16.1	147
	38x20.00-16.1	152
16.5" Rims		
	10.00-16.5 NHS	64
	12.00-16.5 NHS	80
	12.50-16.5	86
	30.5x12.5-16.5	74
	31x11.5-16.5	72
	31x12.5-16.5	80
	33x14.5-16.5	97
	35x14.5-16.5	103
	37x12.5-16.5	84
17" Rims		
	ST255/75(R, D)17	50
	7.00-17	53
	7.50-17, 7.50R17	58
	8.25-17, 8.25R17	67
17.5" Rims		
	8R17.5HC	52
	9R17.5HC	61
	10R17.5HC	71
	11R17.5HC	81
	14-17.5ML, 14.17.5 NHS	101
	36x16-17.5NHS	117

PunctureSafe Canada

Seal Those Wheels



18" Rims		
	275/80-18	78
	10.50/80-18	78
	12.50/80-18	97

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	15.50/70-18	129
	275/65-18	78
	12.50/65-18	86
	15.5/60-18	119
	12.0/12.5-18	87
	4.00-18SL	24
	6.00-18	40
	7.00-18	54
	7.50-18SL	55
	7.50-18, 7.50R18	60
	8-18	56
	9.50-18	68
	10.00-18	77
	11.00-18	100
	13.00-18	120
19" Rims		
	4.00-19SL	25
	6.00-19	41
19.5" Rims		
	285/70-19.5	80
	9.00-19.5	65
	15-19.5ML, 15.19.5 NHS	125
	18-19.5ML	158
	40x19-19.5NHS	154
20" Rims		
	275/85-20	99
	260/80-20	92
	275/80-20	96
	315/80-20	118
	335/80-20	123
	345/80-20	134
	11.00/80-20	100
	15.5/80-20	168
	375/75-20	132
	425/75-20	181
	15.50/70-20	160
	405/70-20	132
	14.00/70-20	129
	17.50/65-20	182
	7.00-20	67

PunctureSafe Canada

Seal Those Wheels



	7.20-20	60
	7.50-20SL	69
	8.25-20ML, 8.25-20 NHS	87
	8.30-20	70

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	9.00-20 NHS	100
	9.00-20ML	100
	9.50-20SL	92
	10.00-20 NHS	111
	10.00-20ML	111
	10.30-20	102
	10.50-20	89
	11.00 R 20	115
	11.00-20 NHS, 11.00-20ML	120
	11.00-20SL	125
	11.10-20	108
	11.20-20	109
	12.00-20 NHS, 12.00R20 NHS	134
	12.00-20ML	134
	12.50-20	129
	13.00-20TG	145
	13.50-20	135
	14.00-20TG	168
	14.00-20ML, 14.00R20ML	176
	14.00-20 NHS, 14.00R20 NHS	176
	14.50-20	145
	18L-20 NHS	190
	19.50-20	199
	38x14.00-20NHS	131
	38x18.00-20NHS	168
	38x20-20	187
	41x14.00-20NHS	141
	42x17-20	172
	42x25.00-20NHS	250
	44x18.00-20NHS	194
	44x41.00-20NHS	421
	47x25-20	282
	48x25.00-20NHS	294
	48x31.00-20NHS	359
20.5" Rims		
	525/65-20.5	187
	20.50-20.5	212
	24.00-20.5	316
21" Rims		
	130/90-21	38

PunctureSafe Canada

Seal Those Wheels



	12.00-21ML	134
	14.00-21ML, 14.00R21ML	176
	16.00-21NHS, 16.00R21NHS	223
	18.00-21	199

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	23.00-21	287
	24.00-21	316
	27.25-21	384
22" Rims		
	7.50-22	75
	8.20-22	74
	8.30-22	73
	9.50-22	89
	10.00-22ML	116
	11.00-22ML	126
	12.00-22	133
22.5" Rims		
	235/70-22.5	78
	275/70-22.5	99
	295/70-22.5	109
	365/70-22.5	146
	11.00/70-22.5	100
	265/60-22.5	87
	500/60-22.5	218
	285/60-22.5	97
	620/40-22.5	160
	9-22.5ML, 9-22.5 NHS	84
	10-22.5ML, 10-22.5 NHS	98
	11-22.5ML, 11-22.5 NHS	111
	12-22.5ML, 12-22.5 NHS	123
	13-22.5	137
	13-22.5 NHS	140
	15-22.5ML	158
	16.5-22.5ML	181
	18-22.5ML	79
23.5" Rims		
	23.00-23.5	287
24" Rims		
	280/85-24	113
	320/75R24	130
	420/70R24	187
	445/70-24	204
	495/70-24	240
	7.20-24	64
	7.50-24SL	82

PunctureSafe Canada

Seal Those Wheels



	8.3-24	78
	9.00-24SL	111
	9.5-24	94

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	10.00R24TG	121
	10.00-24ML	121
	11.00-24ML	132
	11.00-24SL	137
	11.2-24	117
	11.25-24SL	142
	12.00-24TG, 12.00R24TG	142
	12.00-24ML, 12.00-24 NHS	146
	12.00-24 NHS, 12.00R24 NHS	146
	12.4-24	136
	13.00-24TG, 13.00R24TG	158
	13.00-24ML, 13.00R24ML	165
	13.00-24 NHS, 13.00R24 NHS	170
	13.6-24, 13.6R24	155
	14.00-24TG, 14.00R24TG	181
	14.00-24ML, 14.00R24ML	190
	14.00-24 NHS, 14.00R24 NHS	190
	14.9-24, 14.9R24	178
	15.00-24	193
	16.00-24TG, 16.00R24TG	232
	16.9-24, 16.9R24	213
	17.5L-24, 17.5LR24	209
	17.80-24	225
	18.00-24	307
	18.30-24	287
	18.4-24	243
	19.5L-24, 19.5LR24	247
	20.00-24	280
	21L-24	278
	48x20.00-24NHS	212
24.5" Rims		
	305/75-24.5	122
	11.00-24.5ML	117
25" Rims		
	385/95R25	195
	445/95R25	242
	505/95-25	294
	23/90-25	358
	445/80R25	222
	525/80R25	291

PunctureSafe Canada

Seal Those Wheels



	605/80R25	366
	685/80-25	536
	25/65R25	351
	30/65R25	469

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	555/65R25	281
	560/65-25	281
	22/65R25	281
	650/55R25	320
	25/55R25	385
	1000/50R25	599
	66/43.00-25	681
	67/34.00-25	546
	11.00-25ML	134
	12.00-25ML	146
	13.00-25	169
	14.00-25ML, 14.00R25ML	190
	14.00-25NHS, 14.00R25NHS	190
	15.5-25, 15.5R25	187
	16.00-25, 16.00R25	240
	17.5-25, 17.5R25	223
	18.00-25, 18.00R25	299
	20.5-25, 20.5R25	289
	21.00-25, 21.00R25	372
	22-25	281
	23.5-25, 23.5R25	359
	24.00-25	455
	26.00-25	426
	26.5-25, 26.5R25	438
	29.5-25, 29.5R25	522
	61x18-25	287
	66x43.00-25NHS	667
	66x44.00-25NHS	707
	67x34.00-25NHS	555
26" Rims		
	420/85-26	214
	520/75-26	278
	620/75R26	369
	650/75-26	389
	750/65-26	465
	8.30-26	82
	9.50-26	99
	11.20-26	122
	12.40-26	142
	13.6-26	161
	14.9-26, 14.9R26	185

PunctureSafe Canada

Seal Those Wheels



	16.9-26, 16.9R26	221
	18.00-26TG	324
	18.4-26, 18.4R26	256
	23.1-26	356

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	24.00-26	334
	28L-26, 28LR26	437
	54x31.00-26NHS	402
	66x43.00-26NHS	667
	67x34.00-26NHS	555
28" Rims		
	380/85R28	192
	420/85R28	222
	440/80R28	232
	380/70R28	176
	420/70R28	202
	480/70R28	247
	600/65R28	328
	11.2-28	127
	11.25-28SL	154
	11.90-28	134
	12.4-28	148
	13.6-28, 13.6R28	168
	14.9-28, 14.9R28	192
	16.9-28, 16.9R28	229
	18.4-28, 18.4R28	261
	21.00-28	292
29" Rims		
	30/65-29, 30/65R29	498
	17.50-29	235
	24.00-29	479
	26.5-29, 26.5R29	463
	29.5-29, 29.5R29	550
	33.25-29, 33.25R29	656
30" Rims		
	420/90R30	237
	380/85R30	199
	480/70R30	256
	600/700R30	353
	540/65R30	300
	6.00-30	61
	7.20-30	73
	12.40-30	153
	14.9-30, 14.9R30	200
	16.9-30, 16.9R30	241
	18.4-30	274

PunctureSafe Canada

Seal Those Wheels



	23.1-30	372
	67x34.00-30NHS	555
32" Rims		
	500/95-32	340

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	650/75R32	429
	800/65R32	550
	VA 1050/50R32	726
	9.5-32	112
	12.4-32	159
	16.90-32	236
	24.5-32, 24.5R32	424
	30.5L-32, 30.5LR32	532
	33.50-32	590
	35.5-32	664
	68x50.00-32	828
	73x44.00-32	781
	73x50.00-32	888
	74x44-32	786
33" Rims		
	35/65-33, 35/65R33	671
	65/35-33	687
	18.00-33, 18.00R33	337
	27.00-33	635
	30.00-33	759
	33.5-33, 33.5R33	709
	37.5-33, 37.5R33	846
34" Rims		
	250/95R34	125
	290/95R34	153
	320/85R34	167
	380/85-34	214
	385/85R34	218
	420/85R34	246
	480/85R34	300
	650/75R34	441
	710/75R34	514
	480/70R34	274
	520/70R34	305
	540/65R34	321
	11.2-34	143
	14.9R34	214
	16.9-34, 16.9R34	253
	18.4-34, 18.4R34	292
	20.8-34, 20.8R34	340
	23.1-34, 23.1R34	395

PunctureSafe Canada

Seal Those Wheels



35" Rims		
	21.00-35, 21.00R35	426
	24.00-35, 24.00R35	516
	29.5-35, 29.5R35	593

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	33.25-35, 33.25R35	704
	37.25-35, 37.25R35	840
36" Rims		
	230/95-36	116
	270/95-36	143
	9.5-36	121
	11.2-36	149
	12.4-36	171
	13.6-36	193
	13.90-36	195
	14.90-36	222
	16.90-36	241
38" Rims		
	290/90R38	160
	320/85R38	180
	520/85R38	355
	380/80R38	223
	480/80R38	309
	520/70R38	325
	580/70R38	381
	710/70R38	522
	800/70R38	618
	11.2-38	154
	12.4-38	177
	13.6-38	201
	14.9-38	228
	15.5-38, 15.5R38	230
	16.9-38, 16.9R38	270
	18.4-38, 18.4R38	305
	20.8-38, 20.8R38	360
39" Rims		
	40.5/75R39	987
	41.25/70-39	955
	40/65-39, 40/65R39	889
	45/65R39	1072
	65/40-39	923
	33.5-39, 33.5R39	758
	37.5-39, 37.5-39	900
	38-39	874
42" Rims		
	290/90R42	171

PunctureSafe Canada

Seal Those Wheels



	320/90R42	196
	520/85R42	372
	480/80R42	327
	580/70R42	403

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	620/70R42	450
	710/70R42	549
	650/65R42	459
	900/50R42	648
	9.5-42	134
	12.4-42	189
	18.4-42, 18.4R42	323
	20.8-42, 20.8R42	380
43" Rims		
	24.00-43	579
44" Rims		
	210/95-44	118
	230/95-44	133
45" Rims		
	45/65-45, 45/65R45	1137
	65/45-45	1117
46" Rims		
	270/95-46	169
	320/90R46	208
	380/90R46	262
	340/85R46	222
	520/85R46	393
	420/80R46	287
	480/80R46	345
	620/70R46	473
	13.6-46	227
	14.9R46	257
	18.4R46	340
48" Rims		
	230/95R48	141
49" Rims		
	18.00-49	412
	21.00-49	501
	24.00-49, 24.00R49	603
	27.00-49, 27.00R49	725
50" Rims		
	250/95R50	163
	320/90R50	220
	380/90R50	277
	480/80R50	364
51" Rims		

PunctureSafe Canada

Seal Those Wheels



	49/75-51	1533
	50/65-51, 50/65R51	1415
	30.00-51, 30.00R51	871
	33.00-51, 33.00R51	996

PunctureSafe Canada

Seal Those Wheels



Rim Size	Agricultural – Construction – Industrial – Mining	Units
	36.00-51, 36.00R51	1163
	37.5-51, 37.5R51	1008
	67-51	2167
53" Rims		
	39/90-53	1253
54" Rims		
	270/95-54	189
	320/90R54	232
	380/90R54	291
	12.4R54	225
56.5" Rims		
	27.00-56.5	603
	30.00-56.5	725
57" Rims		
	50/80-57	1667
	37.00R57	1273
	40.00-57, 40.00R57	1438
	49.5-57	1697

PunctureSafe Canada

Seal Those Wheels



59.5" Rims		
	33.00-59.5	855
	36.00-59.5	1002
	39.00-59.5	1145

PunctureSafe Canada

Seal Those Wheels



	All Terrain Vehicles – Quads etc	35 units = 1 Litre
Rim Size	Tire Size	Units
7" Rims		
	AT16x8-7	13
	AT18x7-7	13
	AT18x8-7	14
8" Rims		
	AT16x6.50-8	10
	AT16x7.50-8	12
	AT18x5.50-8	10
	AT18x8.5-8	15
	AT18x9.5-8	17
	AT18x10-8	18
	AT18x11-8	20
	AT19x8-8	15
	AT19x9-8	17
	AT20x7-8	14
	AT20x8-8	15
	AT20x9-8	18
	AT20x9.5-8	16
	AT20x10-8	21
	AT20x11-8	16
	AT21x7-8	15
	AT21x9-8	19
	AT21x11-8	23
	AT21x12-8	25
	AT21x12.5-8	28
	AT22x9-8	20
	AT22x10-8	22
	AT22x11-8	24
	AT22x12-8	24
	AT22.5x10-8	21
	AT23x10-8	23
9" Rims		
	AT18x11-9	20
	AT20x7-9	14
	AT20x10-9	20
	AT20x11-9	22
	AT21x7-9	14
	AT21x8-9	17

PunctureSafe Canada

Seal Those Wheels



	AT21x11-9	23
	AT21x12.5-9	27
	AT22x7-9	15
	AT22x8-9	18
	AT22x10-9	22
	AT22x11-9	24

PunctureSafe Canada

Seal Those Wheels



Rim Size	All Terrain Vehicles – Quads etc	Units
	AT23x11-9	25
	AT23x12-9	28
	AT24x11-9	27
	AT24x13-9	31
	AT25x11-9	28
	AT25x12-9	30
	AT25x13-9	31
10" Rims		
	AT18x10-10	18
	AT18x11-10	20
	AT19x6-10	12
	AT20x7-10	14
	AT20x8-10	16
	AT20x10-10	20
	AT20x11-10	22
	AT21x7-10	15
	AT21x10-10	21
	AT21x12.5-10	25
	AT22x7-10	15
	AT22x8-10	18
	AT22x9-10	20
	AT22x10-10	22
	AT22x11-10	24
	AT23x7-10	16
	AT23x8-10	18
	AT23x10-10	23
	AT23x11-10	25
	AT24x11-10	27
	AT24x12-10	27
	AT25x8-10	20
	AT25x11-10	28
	AT25x12-10	30
11" Rims		
	AT22x7-11	15
	AT23x8-11	18
	AT24x8-11	19
	AT24x9-11	21
	AT24x10-11	24
12" Rims		
	204/90-12	21
	254/70-12	21

PunctureSafe Canada

Seal Those Wheels



	AT23x8-12	18
	AT23x10-12	23
	AT24x8-12	19
	AT24x9-12	22
	AT24x11-12	26
	AT25x8-12	20

PunctureSafe Canada

Seal Those Wheels



Rim Size	All Terrain Vehicles – Quads etc	Units
	AT25x10-12	25

PunctureSafe Canada

Seal Those Wheels



	26x8-12	21
	26x9-12	23
	AT26x10-12	26
	26x11-12	29
	26x12-12	31

PunctureSafe Canada

Seal Those Wheels



	27x9.5-12	26
	AT28x9.5-12	27

PunctureSafe Canada

Seal Those Wheels



	HGVs	35 units = 1 Litre	
Rim Size	Tire Size	On Road only Units	On/Off Road – Skip Hire, Waste Management, Quarry vehicles etc. Units
15" Rims			
	7.50-15 TR, 7.50-15 NHS	25	32
	8.25-15 TR, 8.25-15 NHS	29	37
	9.00-15	28	36
	9.00-15 TR	33	42
	10.00-15 TR	37	47
	11.00-15 TR	40	51
16" Rims			
	13.50/85-16	25	31
	13.50-16	52	66
	16.00-16	52	67
	38x20-16	69	88
17" Rims			
	7.00-17	24	31
	7.50-17, 7.50R17	26	34
	8.25-17, 8.25R17	30	39
17.5" Rims			
	215/75R17.5	25	32
	215/70-17.5	22	29
	235/70-17.5	26	33
	205/60-17.5	20	26
	235/60-17.5	59	76
	8.50R17.5	25	32
	14-17.5 ,14R17.5	45	58
18" Rims			
	7.00-18	25	31
	7.50-18, 7.50R18	27	35
	365/70-18	51	65
	405/70-18	59	76
19.5" Rims			
	225/70R19.5	26	33
	245/70R19.5	30	38
	265/70R19.5	32	42
	285/70-19.5	36	46
	305/70R19.5	40	52

PunctureSafe Canada

Seal Those Wheels



	445/65R19.5	68	87
	435/50R19.5	58	74

PunctureSafe Canada

Seal Those Wheels



Rim Size	HGVs	On Road	On/Off Road
	8-19.5, 8R19.5	25	32
	9.00-19.5	29	38
	15-19.5, 15R19.5	56	72
	18-19.5, 18R19.5	71	90
	19.5-19.5, 19.5R19.5	81	103
20" Rims			
	10.00/90R20	41	52
	395/85R20	67	86
	365/80R20	58	74
	11.00/80-20	38	49
	13.00/80-20	49	63
	14/80R20	53	68
	14.75/80R20	59	76
	15.5/80-20	65	83
	375/75-20	51	65
	425/75-20	75	95
	15.50/70-20	74	95
	405/70-20	62	79
	455/70-20	74	95
	14.00/70-20	50	63
	17.50/65-20	70	90
	7.00-20	26	33
	7.20-20	23	30
	7.50-20	29	37
	8.25-20, 8.25R20	33	42
	8.30-20	27	34
	9.00-20, 9.00R20	38	48
	10.00-20, 10.00R20	42	54
	10.00-20ML	43	55
	10.30-20	39	50
	10.50-20	34	44
	11.00-20	46	58
	11.50-20, 11.50R20	46	59
	12.00-20, 12.00R20	51	65
	12.50-20	49	63
	13.00-20, 13.00R20	57	73
	13.50-20	52	67
	14.00-20, 14.00R20	66	85
	14.50-20	56	71
	16.00R20	82	105
	19.50-20	77	98

PunctureSafe Canada

Seal Those Wheels



21" Rims			
	14.00R21	66	85

PunctureSafe Canada

Seal Those Wheels



Rim Size	HGVs	On Road	On/Off Road
	14.50-21	71	91
	16.00R21	82	105
	18.00-21	77	98
	23.00-21	110	141
22" Rims			
	8.20-22	28	36
	8.30-22	28	36
	9.50-22	34	44
	10.00-22	44	56
	11.00-22, 11.00R22	48	61
	12.00-22	51	65
22.5" Rims			
	305/85R22.5	40	51
	235/80R22.5	48	62
	255/80R22.5	36	46
	275/80R22.5	40	51
	295/80R22.5	44	56
	315/80R22.5	48	61
	245/75R22.5	33	43
	265/75R22.5	36	46
	295/75R22.5	43	55
	305/75R22.5	45	58
	235/70-22.5	30	38
	255/70R22.5	34	43
	275/70-22.5	38	49
	295/70-22.5	42	54
	305/70R22.5	44	56
	315/70R22.5	46	58
	365/70-22.5	56	72
	11.00/70-22.5	38	49
	385/65R22.5	60	77
	425/65R22.5	68	87
	445/65R22.5	73	93
	265/60-22.5	34	43
	285/60-22.5	37	48
	295/60R22.5	39	50
	315/60R22.5	43	55
	385/55R22.5	55	70
	435/50R22.5	63	80
	8-22.5, 8R22.5	27	35
	9-22.5, 9R22.5	32	41
	10-22.5, 10R22.5	37	47

PunctureSafe Canada

Seal Those Wheels



	11-22.5, 11R22.5	42	54
	12-22.5, 12R22.5	46	60

PunctureSafe Canada

Seal Those Wheels



Rim Size	HGVs	On Road	On/Off Road
	12.50-22.5, 12.50R22.5	47	60
	12.75-22.5, 12.75R22.5	48	62
	13-22.5	53	67
	15-22.5, 15R22.5	60	77
	16.5-22.5, 16.5R22.5	69	88
	18-22.5, 18R22.5	76	97
24" Rims			
	11.00-24	50	64
	12.00-24	55	71
	14.00-24, 14.00R24	72	92
	17.80-24	86	111
	18.00-24	118	151
	18.30-24	110	141
	20.00-24	108	138
24.5" Rims			
	275/80R24.5	42	54

PunctureSafe Canada

Seal Those Wheels



	285/75R24.5	42	54
	305/75-24.5	47	60
	11-24.5, 11R24.5	44	56
	12-24.5, 12R24.5	49	62
	13.5-24.5, 13.5R24.5	58	74

PunctureSafe Canada

Seal Those Wheels



	Passenger Cars (Letter P or no indicator) Light Commercial (LT)	35 units = 1 Litre
Rim Size	Tire Size	Units
10" Rims		
	135/95-10LT	6
	145/95-10LT	7
	135/80-10	5
	145/80-10	6
	165/70-10	7
	155/65-10LT	7
	145-10LT	6
	5.00-10LT	6
	5.20-10	6
12" Rims		
	135/95-12LT	7
	145/95-12LT	8
	135/80-12	6
	P145/80R12	7
	P155/80R12	7
	145/70-12	7
	155/70-12	7
	P165/70(R, D)12	8
	175/70-12	9
	155/65-12	8
	165/60-12	8
	145-12LT	7
	155R12	7
	155-12LT	7
	5.50-12	7
	5.65-12	7
13" Rims		
	155/95-13LT	9
	165/95-13LT	10
	135/80-13	6
	P145/80(R, D)13	7
	P155/80R13	8
	P165/80R13	8
	P175/80R13	9
	P185/80R13	10
	P165/75(R, D)13	8
	P175/75(R, D)13	9
	P185/75(R, D)13	10

PunctureSafe Canada

Seal Those Wheels



	145/70R13	7
	P155/70R13	8
	P165/70R13	9
	P175/70R13	9
	P185/70R13	10
	P195/70R13	11

PunctureSafe Canada

Seal Those Wheels



Rim Size	Passenger Cars	Units
	P205/70R13	12
	145/65-13	7
	155/65-13	8
	P165/65R13	9
	175/65-13	10
	185/65-13	10
	P195/65R13	11
	155/60-13	8
	165/60-13	9
	175/60-13	9
	P185/60R13	10
	P195/60R13	11
	P205/60R13	12
	P215/60R13	13
	P235/60R13	14
	185/55-13	8
	195/55-13	10
	145R13	7
	155R13	8
	155-13LT	8
	165R13	9
	165-13LT	9
	175R13	9
	5.50-13LT	8
	5.60-13	8
	6.00-13LT	10
	6.15-13	8
	6.45-13	9
	7.00-13	12
13.5" Rims		
	175/60-13.5LT	9
14" Rims		
	165/95-14LT	10
	175/95-14LT	11
	P145/80-14	7
	P165/80(R, D)14	9
	P175/80(R, D)14	10
	P185/80(R, D)14	11
	195/80-14	12
	205/80-14	12
	165/75R14	9
	(P, LT)175/75R14	10

PunctureSafe Canada

Seal Those Wheels



	(P, LT)185/75R14	10
	(P, LT)195/75R14	11
	P205/75R14	12
	(P, LT)215/75R14	13
	P225/75R14	14
	T115/70-14	5

PunctureSafe Canada

Seal Those Wheels



Rim Size	Passenger Cars	Units
	T1124/70-14	6
	165/70-14	9
	P175/70R14	10
	P185/70R14	11
	P195/70R14	12
	(P, LT)205/70R14	13
	(P, LT)215/70R14	14
	P225/70R14	14
	P235/70R14	15
	P245/70R14	16
	155/65R14	8
	P165/65R14	9
	P175/65R14	10
	P185/65R14	11
	P195/65R14	12
	205/65-14	13
	P215/65R14	14
	165/60R14	9
	P175/60R14	10
	P185/60R14	11
	P195/60R14	12
	P205/60R14	12
	P215/60R14	13
	P225/60R14	14
	P235/60R14	15
	P245/60R14	16
	P255/60R14	17
	P265/60R14	18
	P275/60R14	19
	155/55-14	8
	165/55-14	8
	185/55-14	10
	195/55-14	11
	P205/55R14	12
	205/55-14	12
	P255/55R14	17
	145R14	7
	155R14	8
	165R14	9
	165-14LT	9
	175R14	10
	175-14LT	10

PunctureSafe Canada

Seal Those Wheels



	185R14	11
	185-14LT	11
	195-14LT	12
	205R14	12
	5.5-14LT	9
	6.00-14LT	10

PunctureSafe Canada

Seal Those Wheels



Rim Size	Passenger Cars	Units
	6.40-14	9
	6.45-14	9
	6.50-14LT	11
	6.95-14	10
	7.00-14LT	11
	7.90-14LT	12
	8.00-14	13
	8.50-14LT	13
	11.00-14LT	19
	26x8.50R14LT	12
	27x8.50R14LT	13
14.5" Rims		
	205/60-14.5LT	12
	7.00-14.5LT	11
	8-14.5LT	13
	9-14.5LT	15
15" Rims		
	T135/90-15	9
	T135/80-15	7
	P155/80(R, D)15	9
	P165/80(R, D)15	9
	175/80-15, (LT)	10
	185/80-15LT	11
	P195/80(R, D)15	12
	LT215/80R15	14
	225/80-15	15
	185/75-15LT	11
	(P, LT)195/75R15	12
	(P, LT)205/75R15	12
	(P, LT)215/75R15	13
	(P, LT)225/75R15	14
	(P, LT)235/75R15	15
	P245/75R15	17
	LT255/75-15	17
	(P, LT)265/75R15	19
	P175/70R15	10
	P185/70R15	11
	P195/70R15, (LT)	12
	P205/70R15	13
	205/70-15LT	13
	P215/70R15	14
	P225/70R15	15

PunctureSafe Canada

Seal Those Wheels



	P235/70R15	16
	(P, LT)245/70R15	17
	(P, LT)255/70R15	18
	(P, LT)265/70R15	19
	P275/70R15	20
	(P, LT)285/70R15	22

PunctureSafe Canada

Seal Those Wheels



Rim Size	Passenger Cars	Units
	LT315/70R15	25
	145/65R15	8
	165/65R15	10
	P175/65R15	10
	P185/65R15	12
	P195/65R15	13
	P205/65R15	13
	P215/65R15	14
	225/65-15	15
	P235/65R15	16
	LT245/65-15	17
	P255/65R15	19
	P295/65R15	23
	135/60R15	7
	155/60R15	8
	165/60R15	9
	175/60R15	10
	P180/60R15	10
	P185/60R15	11
	P195/60R15	12
	P205/60R15	13
	P215/60R15	14
	P225/60R15	15
	P235/60R15	16
	P245/60R15	17
	P255/60R15	18
	P265/60R15	19
	P275/60R15	20
	P295/60R15	22
	P315/60R15	25
	LT325/60R15	26
	165/55R15	9
	175/55R15	10
	185/55R15	11
	P195/55R15	12
	P205/55R15	13
	205/55R15	13
	215/55-15	14
	P225/55R15	14
	P255/55R15	17
	275/55-15	19
	P345/55R15	28

PunctureSafe Canada

Seal Those Wheels



	165/50-15	9
	205/50R15	12
	125R15	6
	135R15	7
	155R15	9
	165R15	9

PunctureSafe Canada

Seal Those Wheels



Rim Size	Passenger Cars	Units
	165-15LT	9
	195-15LT	12
	205-15LT	13
	215-15LT	14
	5.60-15	8
	6.00-15LT	10
	6.50-15LT	12
	6.70-15LT, 6.70R15LT	12
	7.00-15LT, 7.00R15LT	14
	7.10-15LT	13
	7.50-15LT	16
	9.00-15LT	17
	10R15LT	12
	11.00-15LT	19
	12.00-15LT	24
	12.10-15	26
	L78-15LT	16
	28x8.5-15	14
	29x9.50R15LT	15
	30x9.50R15LT	16
	31x10.50R15LT	19
	31x11.50R15LT	20
	31x12.50R15LT	22
	32x11.50R15LT	21
	32x12.5-15LT	25
	33x9.50R15LT	18
	33x10.50R15LT	20
	33x12.50R15LT	24
	35x12.50R15LT	25
	36x14.50R15LT	31
	37x12.50R15LT	27
	37x14.50-15	32
15.5" Rims		
	185/70-15.5LT	11
	195/70-15.5LT	12
	215/60-15.5LT	14
16" Rims		
	185/85-16LT	12
	195/85-16LT	13
	205/85-16LT	14
	LT215/85R16	15
	225/85-16LT	16

PunctureSafe Canada

Seal Those Wheels



	LT235/85R16	17
	LT255/85R16	19
	T135/80-16	7
	P155/80-16	9
	175/80-16	11
	195/80-16	12

PunctureSafe Canada

Seal Those Wheels



Rim Size	Passenger Cars	Units
	205/80-16	13
	215/80-16	14
	235/80-16	16
	185/75-16	11
	205/75-16	13
	P215/75R16	14
	(P, LT)225/75R16	15
	P235/75R16	16
	(P, LT)245/75R16	17
	(P, LT)265/75R16	19
	LT285/75R16	22
	LT295/75R16	23
	LT315/75R16	25
	T125/70-16	7
	195/70-16LT	12
	205/70-16LT	13
	205/70-16	14
	(P, LT)215/70R16	15
	215/70-16	15
	(P, LT)225/70R16	16
	225/70-16	16
	(P, LT)235/70R16	17
	(P, LT)245/70R16	18
	(P, LT)255/70R16	19
	(P, LT)265/70R16	20
	(P, LT)275/70R16	21
	LT305/70R16	25
	LT315/70R16	26
	195/65-16LT	13
	P205/65R16, (LT)	14
	P215/65R16	15
	P225/65R16	16
	P235/65R16	17
	P255/65R16	19
	255/65-16	19
	P265/65R16	20
	P275/65R16	21
	P285/65R16	23
	P295/65R16	24
	175/60R16	11
	195/60R16	12
	185/60R16	11

PunctureSafe Canada

Seal Those Wheels



	P205/60R16	13
	P215/60-16	15
	P225/60-16	15
	P235/60R16	16
	P255/60R16	18
	275/60R16	19

PunctureSafe Canada

Seal Those Wheels



Rim Size	Passenger Cars	Units
	(P, LT)285/60R16	22
	365/60R16	31
	P195/55R16	12
	P205/55R16	13
	P215/55R16	14
	P225/55-16	15
	P235/55R16	16
	245/55-16	17
	LT315/55R16	25
	LT345/55R16	29
	205/50R16	12
	225/50R16	14
	205-16LT	13
	6.00-16LT	11
	6.50-16LT, 6.50R16LT	12
	7.00-16LT	15
	7.50-16LT, 7.50R16LT	16
	8.25-16LT	18
	9.00-16LT	21
16.5" Rims		
	8.00-16.5LT, 8.00R16.5LT	13
	8.75-16.5LT, 8.75R16.5LT	15
	9.50-16.5LT, 9.50R16.5LT	17
	10.00-16.5LT, 10.00R16.5LT	18
	12.00-16.5LT, 12.00R16.5LT	23
	31x10.5R16.5LT	19
	33x12.5R16.5LT	24
	35x12.5-16.5LT	26
	36x12.5-16.5LT	26
	37x14.5-16.5	31
17" Rims		
	T155/90-17	10
	T145/80-17	8
	T155/80-17	9
	LT235/80R17	17
	225/75R17	15
	P255/75R17	19
	T125/70-17	7
	T145/70-17	9
	T)155/70-17	9
	225/70-17	16
	(P, LT)245/70R17	18

PunctureSafe Canada

Seal Those Wheels



	(P, LT)265/70R17	21
	LT275/70R17	22
	LT285/70R17	23
	LT305/70R17	26
	LT315/70R17	27
	355/70-17	32

PunctureSafe Canada

Seal Those Wheels



Rim Size	Passenger Cars	Units
	P225/65R17	17
	P235/65R17	18
	(P, LT)245/65R17	19
	P255/65R17	20
	P265/65R17	21
	P275/65R17	22
	P285/65R17	24
	P215/60R17	15
	P225/60R17	16
	(P, LT)235/60R17	17
	P255/60R17	19
	P275/60R17	21
	LT285/60-17	23
	175/55-17	12
	LT325/60-17	27
	P215/55R17	15
	P225/55R17	16
	P235/55R17	17
	P255/55R17	19
	P265/55R17	20
	P275/55R17	21
	LT345/55R17	30
	205/50R17	15
	215/50R17	14
	225/50R17	15
	245/50-17	16
	33x12.50R17LT	24
	35x12.50R17LT	25
	37x12.50R17LT	27
	38x13.50R17LT	30
17.5" Rims		
	225/90-17.5LT	17
	205/80-17.5LT	14
	225/80-17.5LT	16
	195/70-17.5LT	13
	205/70-17.5LT	14
	215/70-17.5LT	15
	195/60-17.5LT	13
	205/60-17.5LT	14
	225/60-17.5LT	16
	7-17.5LT	13
	8-17.5LT	14

PunctureSafe Canada

Seal Those Wheels



	37x12.5-17.5	30
18" Rims		
	195/85-18LT	14
	215/85-18LT	16
	T155/80-18	9
	215/70R18	15

PunctureSafe Canada

Seal Those Wheels



Rim Size	Passenger Cars	Units
	P255/70R18	19
	P265/70R18	20
	P235/65R18	18
	P265/65-18	21
	P275/65R18	23
	LT285/65R18	24
	P225/60R18	17
	P235/60R18	17
	P245/60R18	19
	P255/60R18	20
	P265/60R18	21
	P275/60R18	22
	P285/60R18	24
	P205/55R18	14
	P225/55R18	16
	P235/55R18	17
	P255/55R18	20
	P265/55R18	21
	P275/55R18	22
	P285/55R18	23
	225/50-18	15
	235/50R18	16
	245/50R18	17
	35x12.50R18LT	25
19" Rims		
	235/55R19	17
	255/55R19	20
	275/55R19	22
	235/50R19	15
	255/50R19	19
	265/50R19	20
20" Rims		
	P275/60R20	24
	255/55-20	20
	P275/55R20	23

PunctureSafe Canada

Seal Those Wheels



	LT285/55R20	25
	245/50-20	18
	265/50-20	21
	285/50-20	23

PunctureSafe Canada

Seal Those Wheels



	Motorcycles - Scooters	35 units = 1 Litre
Rim Size	Tire Size	Units
6" Rims		
	130/90-6	7
	145/70-6	6
	5.4-6	6
8" Rims		
	70/100-8	3
	3.00-8	4
	3.50-8	4
	4.00-8	5
10" Rims		
	80/100-10	4
	90/100-10	5
	80/90-10	4
	90/90-10	5
	100/90-10	5
	110/90-10	6
	120/90-10	7
	130/90-10	8
	90/80-10	4
	100/80-10	5
	110/80-10	6
	120/80-10	7
	120/70-10	6
	130/70-10	7
	2.50-10	3
	2.75-10	4
	3.00-10	4
	3.50-10	5
	4.00-10	6
	5.4-10	8
	6.7-10	11
11" Rims		
	120/70-11	6
12" Rims		
	80/100-12	7
	110/100-12	7
	90/90-12	5
	100/90-12	6
	110/90-12	7

PunctureSafe Canada

Seal Those Wheels



	120/80-12	7
	110/70-12	6
	120/70-12	7

PunctureSafe Canada

Seal Those Wheels



Rim Size	Motorcycles - Scooters	Units
	130/70-12	8
	140/70-12	9
	2.75-12	4
	3.00-12	5
	4.00-12	7
	4.50-12	9
	6.7-12	12
13" Rims		
	110/90-13	7
	120/70-13	7
	130/70-13	8
	110/60-13	6
	130/60-13	8
	140/60-13	9
14" Rims		
	90/100-14	7
	90/90-14	6
	180/80-14	15
	120/70-14	8
	140/70-14	10
	150/70-14	11
	140/40-14	8
	2.25-14	4
	2.50-14	4
	2.75-14	5
	3.00-14	5
	3.60-14	5
	5.4-14	10
15" Rims		
	130/90-15	10
	140/90-15	11
	150/90-15	12
	140/80-15	11
	150/80-15	12
	160/80-15	13
	170/80-15	14
	140/70-15	10
	2.50-15	4
	2.75-15	5
	U90-15	11
	V90-15	12
	V85-15	13

PunctureSafe Canada

Seal Those Wheels



16" Rims		
	80/100-16	6
	90/100-16	8

PunctureSafe Canada

Seal Those Wheels



Rim Size	Motorcycles - Scooters	Units
	80/90-16	5
	90/90-16	6
	100/90-16	7
	110/90-16	8
	120/90-16	9
	130/90-16	10
	140/90-16	12
	80/80-16	5
	90/80-16	6
	100/80-16	7
	110/80-16	8
	120/80-16	9
	130/80-16	10
	140/80-16	11
	150/80-16	12
	160/80-16	13
	180/80-16	15
	110/70-16	8
	120/70-16	8
	130/70-16	9
	180/70-16	15
	200/60-16	16
	2.00-16	3
	2.25-16	4
	2.50-16	4
	2.75-16	5
	3.00-16	6
	3.50-16	7
	4.60-16	8
	T90-16	10
	U90-16	12
	R85-16	9
17" Rims		
	70/100-17	5
	100/100-17	9
	110/100-17	10
	80/90-17	6
	90/90-17	7
	100/90-17	8
	110/90-17	9
	120/90-17	10
	130/90-17	11

PunctureSafe Canada

Seal Those Wheels



	90/80-17	6
	100/80-17	7
	110/80-17	8

PunctureSafe Canada

Seal Those Wheels



Rim Size	Motorcycles - Scooters	Units
	120/80-17	9
	130/80-17	10
	140/80-17	12
	150/80-17	13
	100/70-17	7
	110/70-17	8
	120/70-17	9
	130/70-17	10
	140/70-17	11
	150/70-17	12
	160/70-17	13
	120/60-17	9
	130/60-17	9
	140/60-17	10
	150/60-17	11
	160/60-17	12
	170/60-17	13
	160/55-17	12
	170/55-17	13
	180/55-17	14
	180/50-17	14
	190/50-17	15
	2.00-17	3
	2.25-17	4
	2.50-17	5
	2.75-17	5
	3.00-17	6
	3.25-17	7
	3.50-17	8
	4.50-17	10
	4.60-17	9
	5.00-17	11
	5.10-17	10
	S90-17	10
	T90-17	10
18" Rims		
	90/100-18	7
	100/100-18	10
	110/100-18	11
	120/100-18	11
	90/90-18	7
	100/90-18	8

PunctureSafe Canada

Seal Those Wheels



	110/90-18	9
	120/90-18	10
	130/90-18	11

PunctureSafe Canada

Seal Those Wheels



Rim Size	Motorcycles - Scooters	Units
	4.25/85-18	9
	100/80-18	8
	110/80-18	9
	120/80-18	10
	130/80-18	11
	140/80-18	13
	150/80-18	13
	120/70-18	9
	130/70-18	10
	140/70-18	11
	150/70-18	12
	160/70-18	14
	130/60-18	10
	140/60-18	11
	150/60-18	12
	160/60-18	13
	170/60-18	14
	180/55-18	14
	180/50-18	14
	2.25-18	4
	2.50-18	5
	2.75-18	6
	3.00-18	6
	3.25-18	7
	3.50-18	7
	3.60-18	8
	4.00-18	9
	4.10-18	8
	4.25-18	9
	4.50-18	10
	4.60-18	9
	5.10-18	11
	J90-18	7
	L90-18	7
	M90-18	7
	N90-18	9
	P90-18	9
	R90-18	10
	P85-18	9
	S85-18	10
	T85-18	11
	T80-18	11

PunctureSafe Canada

Seal Those Wheels



19" Rims		
	70/100-19	6
	90/100-19	7

PunctureSafe Canada

Seal Those Wheels



Rim Size	Motorcycles - Scooters	Units
	100/100-19	10
	110/100-19	11
	70/90-19	5
	90/90-19	7
	100/90-19	8
	110/90-19	9
	120/90-19	12
	110/80-19	9
	2.00-19	4
	2.50-19	5
	2.75-19	6
	3.00-19	6
	3.25-19	8
	3.50-19	8
	3.60-19	7
	4.10-19	8
	J90-19	7
	L90-19	7
	M90-19	8
21" Rims		
	70/100-21	6
	80/100-21	7
	80/90-21	7
	90/90-21	8
	80/80-21	7
	100/80-21	9
	2.50-21	5
	2.75-21	6
	3.00-21	7
	3.25-21	9

PunctureSafe Canada

Seal Those Wheels



	H90-21	7
23" Rims		
	3.00-23	8

PunctureSafe Canada

Seal Those Wheels



	Bicycles	35 units = 1 Litre
Rim Size	Tire Size	Units
12" Rims		
	1.75-12	2
	2.00-12	3
	2.75-12	3
12.5" Rims		
	2.5-12.5	3
14" Rims		
	1.00-14	2
	1.5-14	2
	1.75-14	2
	2.00-14	3
	2.25-14	3
16" Rims		
	1.00-16	2
	1.50-16	2
	1.75-16	3
	2.00-16	3
	2.25-16	4
18" Rims		
	1.00-18	2
	1.50-18	3
	1.75-18	3
	2.00-18	4
	2.50-18	4
20" Rims		
	1.00-20	2
	1.50-20	3
	1.75-20	4
	2.00-20	4
	2.125-20	5
	2.25-20	5
22" Rims		
	3/8-22	3
	1 1/2-22	4
	1 3/4-22	4
24" Rims		
	1.00-24	2
	1 3/8-24	3
	1 1/2-24	4
	1.75-24	4
	2.00-24	5

PunctureSafe Canada

Seal Those Wheels



	2.25-24	5
--	---------	---

PunctureSafe Canada

Seal Those Wheels



Rim Size	Bicycles	Units
25" Rims		
	1 3/8-25	4
26" Rims		
	1.00-26	3
	1 3/8-26	4
	1.40-26	4
	1.50-26	5
	1 3/4-26	5
	2.00-26	5
	2.125-26	5
	2.25-26	5
	2 1/2-26	5
	3.00-26	5

PunctureSafe Canada

Seal Those Wheels



27" Rims		
	1 3/16-27	3
	1.00-27	3
	1 1/8-27	3
	1 1/4-27	3
	1 3/8-27	5
	1.75-27	5